


Pipe Marking Label Solutions



THE LABEL CENTRE

SOLUTIONS FOR THE LABELLING INDUSTRY



Contents

Introduction

| | |
|---------------------------|----|
| What is Pipe Marking? | |
| What we Offer | |
| Where to Apply Them | 03 |

Individual Pipe Markers

| | |
|---------------------------|----|
| Pipe Length & Label Width | |
| Label Measurements | |
| Pipe Wraps | 04 |

Additional Products

| | |
|---------------------------|----|
| Continuous Rolls | |
| Standard Duct Markers | |
| GHS Symbols | |
| Tank & Bund Signage | 05 |

British Standard Identification Colours

| | |
|----------------------|----|
| Basic Identification | |
| Safety | |
| Code & Other | |
| Services | 06 |




What is Pipe Marking?



All pipework must be appropriately labelled to inform employees, emergency services etc about the contents of the pipe.

The British Standards BS1710 are recognized legal requirements for plant safety and pipe installation compliance. It is important that piping systems are appropriately labelled so that people can identify the fluids and gases they transport. This is done by conveying specific information using colour coding as well as text and safety symbols.

We also maintain the International Standard ISO 20560-1 regulations regarding piping systems.



What We Offer

All products in this document are manufactured from high tack vinyl with opaque adhesive and a protective laminate. Full specifications and samples available upon request.




Where to apply them?

The service identifier shall be included at junctions, at both sides of each valve and wall penetration and at any other place where identification is necessary.

The service identifier shall be readily visible in every section or compartment (eg between floor joist sections).

Where services are concealed, service identifiers shall be located at regular intervals of not more than 0.5m.

1. Both sides where pipe passes through floors/ walls
2. Changes in direction
3. Frequent intervals on straight pipes
4. Close to valves





Diameters ≤ 50mm

Basic Identification - 50mm
Safety Code - 30mm = 130mm Band Width

Diameters 50mm - 100mm

Basic Identification - 100mm
Safety Colour - 75mm = 275mm Band Width

Diameters > 100mm

Basic Identification - 150mm
Safety Colour - 150mm = 450mm Band Width



50mmØ Pipe



1. Basic identification colour

2. Safety or code colours

* For specific BS colour chart see page 6



Individual Markers 1

(with direction indicating tearable ends)

2 Pipe Wraps

1,250mm long wraps that can be cut to a required length or made to the specific length required to wrap your pipe, with a recommended overlap between 20-30mm.

Available in sizes:

1. 130mm
2. 275mm
3. 450mm






3

Continuous Rolls

Alongside our pipe marking individual labels and wraps, we supply continuous rolls.

Our continuous rolls can be supplied on long rolls of:

1. 10m
2. 15m
3. 20m
4. 25m
5. 30m




4

Duct Markers

We also produce colour coded duct markers to label different air systems.

These are typically 150mmx150mm and colour coded in compliance with BS Standards



3. Gas under pressure

5. Explosive

7. Caution - used for less serious health hazards like skin irritation

1. Dangerous to the environment



2. Toxic

4. Corrosive

6. Flammable

8. Oxidising - and longer term health hazards such as carcinogenicity

9. Respiratory sensitisation

5

Hazard Safety Symbols

Hazard safety symbols can be printed directly onto custom labels and continuous rolls or sold separately. Size to suit pipe diameter.


6

Tank & Bundage Signage

helps identify contents.

Sizes: A5, A4, A3 or specific custom size to suit your requirements.

Material: Self-adhesive vinyl, mounted onto 3M foamboard or aluminum composite board.





BASIC IDENTIFICATION COLOURS

| | | | |
|---|--|--|---|
| WATER GREEN COLOUR REF- 12 D 45 | OILS minerals, vegetable or animal; combustable liquids BROWN COLOUR REF - 06 C 39 | ACIDS & ALKALIS VIOLET COLOUR REF - 22 C 37 | WASTE EFFLUENTS BLACK COLOUR REF- 00 E 53 |
| STEAM SILVER-GREY COLOUR REF - 10 A 03 | GASES in either gaseous or liquefied condition (except air) YELLOW OCHRE COLOUR REF - 08 C 35 | AIR LIGHT BLUE COLOUR REF- 20 E 51 | ELECTRICAL SERVICES & VENTILATION DUCTS ORANGE COLOUR REF- 12 D 45 |

SAFETY COLOURS


| | | | |
|--|--|---|--|
| FIRE RED COLOUR REF - 04 E 53 | WATER FROM ANY OTHER SOURCE FLINT GREY COLOUR REF - 00 A 09 | WATER FROM A PUBLIC SUPPLY AUXILIARY BLUE COLOUR REF - 18 E 53 | WARNING YELLOW COLOUR REF - 08 E 51 |
|--|--|---|--|

CODE & OTHER COLOURS

| | |
|--|--|
| REFRIGERATION BLUE COLOUR REF - 18 E 51 | MEDICAL GASES & REFRIGERATION GOLDEN BROWN COLOUR REF - 06 D 45 |
|--|--|

SERVICES

| | | | |
|--|--|---|---|
| BUILDING SERVICES & REFRIGERATION CRIMSON COLOUR REF- 04 D 45 | BUILDING SERVICES SALMON PINK COLOUR REF - 04 C 33 | BUILDING SERVICES & MEDICAL GASES WHITE COLOUR REF - 00 E 55 | MEDICAL GASES FRENCH BLUE COLOUR REF - 20 D 45 |
| BUILDING SERVICES & REFRIGERATION EMERALD GREEN COLOUR REF- 14 E 53 | BUILDING SERVICES & MEDICAL GASES PRIMROSE COLOUR REF - 10 E 53 | MEDICAL GASES FRENCH GREY COLOUR REF - 12 B 21 | REFRIGERATION SEA GREEN COLOUR REF - 16 C 37 |
| REFRIGERATION DARK MAUVE COLOUR REF - 02 C 37 | | | |



The Label Centre Ltd, Unit 2 Bagley Industrial Park, Railwharf Sidings, Northfield Road, Dudley, DY2 9DY
T. 01384 242426 | F. 01384 242428 | E. sales@labelcentre.co.uk | W. www.labelcentre.co.uk

Registered in England under the company registration number 03798169. VAT No. GB 738 8125 09